UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/662,407	09/16/2003	Jan-Erik Ekberg	4208-4114US1 9670	
27123 7590 11/30/2007 MORGAN & FINNEGAN, L.L.P. 3 WORLD FINANCIAL CENTER			EXAMINER	
			HO, HUY C	
NEW YORK, NY 10281-2101			ART UNIT	PAPER NUMBER
			2617	
			· · · · · · · · · · · · · · · · · · ·	<u> </u>
			NOTIFICATION DATE	DELIVERY MODE
			11/30/2007	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

PTOPatentCommunications@Morganfinnegan.com Shopkins@Morganfinnegan.com jmedina@Morganfinnegan.com

•	Application No.	Applicant(s)		
	10/662,407	EKBERG ET AL.		
Office Action Summary	Examiner	Art Unit		
	Huy C. Ho	2617		
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period v - Faiture to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tirn vill apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status				
1) ☐ Responsive to communication(s) filed on <u>04 Sectors</u> 2a) ☐ This action is FINAL . 2b) ☐ This Since this application is in condition for allower closed in accordance with the practice under Example 2.	action is non-final. nce except for formal matters, pro			
Disposition of Claims				
4) ☐ Claim(s) 1-53 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-53 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.			
Application Papers				
9)☐ The specification is objected to by the Examine 10)☒ The drawing(s) filed on <u>09/16/2003</u> is/are: a)☒ Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11)☐ The oath or declaration is objected to by the Ex	accepted or b) objected to by drawing(s) be held in abeyance. See ion is required if the drawing(s) is ob	e 37 CFR 1.85(a). lected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s)				
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	nte		

Application/Control Number: 10/662,407 Page 2

Art Unit: 2617

DETAILED ACTION

Response to Arguments

1. Applicant's arguments filed 09/04/2007, with respect to the rejection(s) of claim(s) 1-53 under Arora (2004/0064568) and Atkinson et al. (2002/0012329) have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Kammer et al. (ISBN: 1-928994-42-3, "Bluetooth Application Developer's Guide", submitted in the Information Disclosure Statement provided in the application), Beck et al. (6,604,140) and Howe (2005/0058149).

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 4. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

Art Unit: 2617

3. Resolving the level of ordinary skill in the pertinent art.

4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

5. Claims 1-5, 11-14, 16-23, 29-32 and 34-53 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kammer et al. (ISBN: 1-928994-42-3, "Bluetooth Application Developer's Guide") and further in view of Beck et al. (6,604,140).

Consider claim 1, (Previously presented) Kammer discloses a system for performing device detection and service discovery in a mobile ad hoc communications network (see page 20 lines 7-end of page, page 24 lines 20-end of page), comprising:

a memory device (page 20, figure 1.6); and

a processor disposed in communication with the memory device (page 20, figure 1.6), the processor configured to:

conducting an inquiry of the ad-hoc communications network to discover at least one nearby device, the inquiry including an indication that said at least one nearby device may include a layer, said layer being software for providing application and service discovery (see page 20 lines 7-end of page, page 24 lines 20-end of page, page 41 whole page, page 42 whole page);

when the inquiry includes the indication that said at least one nearby device may include the layer:

creating a connection to said at least one nearby device (page 21, whole page);

confirming whether said at least one nearby device includes the layer (page 24 lines 20-end of page);

when the peer device includes the layer:

execute the layer to perform application and service discovery (page 24 lines 20-end of page);

Kammer does not show middleware. Beck discloses middleware (see the abstract, col 2 lines 45-55).

Since both Kammer and Beck teach ad hoc and Bluetooth application for device detection and service discovery, it would have been obvious to a person of ordinary skill in the art at the time of the

Art Unit: 2617

invention was made to modify teachings Kammer, and have middleware, taught by Beck to improve the method and system for devices to discover and user services, as discussed by Beck (see (col 1 lines 9-67, col 2 lines 1-45).

Consider claim 19, (Currently Amended) Kammer discloses a method for performing device detection and service discovery in a mobile ad hoc communications network (see page 20 lines 7-end of page, page 24 lines 20-end of page), comprising:

conducting an inquiry of the ad-hoc communications network to discover at least one nearby device, the inquiry including an indication that said at least one nearby device may include a layer, said layer being middleware software for providing application and service discovery <u>in an ad hoc network</u> (see page 20 lines 7-end of page, page 24 lines 20-end of page, page 41 whole page, page 42 whole page);

when the inquiry includes the indication that said at least one nearby device may include the layer:

creating a connection to said at least one nearby device (page 21, whole page);

confirming whether said at least one nearby device includes the layer (page 24 lines 20-end of page);

when the peer device includes the layer:

execute the layer to perform application and service discovery (page 24 lines 20-end of page);

Kammer does not show middleware. Beck discloses middleware (see the abstract, col 2 lines 45-55).

Since both Kammer and Beck teach ad hoc and Bluetooth application for device detection and service discovery, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify teachings Kammer, and have middleware, taught by Beck to improve the method and system for devices to discover and user services, as discussed by Beck (see (col 1 lines 9-67, col 2 lines 1-45).

Art Unit: 2617

Consider claim 37, (Previously presented) Kammer discloses a computer program product for performing device detection and service discovery in a mobile ad hoc communications network comprising:

a computer readable medium storing:

program code for conducting an inquiry of the mobile ad hoc communications network to discover at least one nearby device, the inquiry including an indication that said at least one nearby device may include a layer, said layer being soft-ware for providing application and service discovery (see page 20 lines 7-end of page, page 22 lines 18-28, page 24 lines 20-end of page, page 41 whole page, page 42 whole page);

program code for creating a connection to said at least one nearby device when the inquiry includes the indication that said at least one nearby device may include the layer (page 21, whole page);

program code for confirming whether said at least one nearby device includes the layer when the inquiry includes the indication that said at least one nearby device may include the layer (page 24 lines 20-end of page); and

program code for executing the layer to perform application and service discovery when said at least one nearby device includes the layer (page 24 lines 20-end of page);

Kammer does not show middleware. Beck discloses middleware (see the abstract, col 2 lines 45-55).

Since both Kammer and Beck teach ad hoc and Bluetooth application for device detection and service discovery, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify teachings Kammer, and have middleware, taught by Beck to improve the method and system for devices to discover and user services, as discussed by Beck (see col 1 lines 9-67, col 2 lines 1-45).

Consider claim 45, (Previously presented) Kammer discloses a system for performing device detection and service discovery in a mobile ad hoc communications network (see page 20 lines 7-end of page, page 24 lines 20-end of page), comprising:

Art Unit: 2617

means for conducting an inquiry of the mobile ad hoc communications network to discover at least one nearby device, the inquiry including an indication that said at least one nearby device may include a layer, said layer being software for providing application and service discovery (see page 20 lines 7-end of page, page 22 lines 18-28, page 24 lines 20-end of page, page 41 whole page, page 42 whole page);

means for creating a connection to said at least one nearby device when the inquiry includes the indication that said at least one nearby device may include the layer (page 21, whole page);

means for confirming that said at least one nearby device includes the layer when the inquiry includes the indication that said at least one nearby device may include the layer (page 24 lines 20-end of page); and

means for executing the layer to perform application and service discovery when said at least one nearby device includes the layer (page 24 lines 20-end of page);

Kammer does not show middleware. Beck discloses middleware (see the abstract, col 2 lines 45-55).

Since both Kammer and Beck teach ad hoc and Bluetooth application for device detection and service discovery, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify teachings Kammer, and have middleware, taught by Beck to improve the method and system for devices to discover and user services, as discussed by Beck (see col 1 lines 9-67, col 2 lines 1-45).

Consider claim 53, (Currently Amended) Kammer discloses a wireless device in a mobile ad hoc communications network (page 20, figure 1.6), comprising:

wireless short range transceiver (page 10 whole page);

- a memory device (page 20, figure 1.6);; and
- a processor disposed in communication with the memory device (page 20, figure 1:6), the processor configured to:

Art Unit: 2617

transmit with the transceiver an inquiry of the mobile ad hoc communications network to discover at least one nearby device (see page 20 lines 7-end of page, page 24 lines 20-end of page, page 41 whole page, page 42 whole page);

receive with the transceiver a response to the inquiry, including an indication that said at least one nearby device may include a layer, said middleware layer being software for providing application and service discovery (see page 20 lines 7-end of page, page 22 lines 18-28, page 24 lines 20-end of page, page 41 whole page, page 42 whole page);

when the inquiry includes the indication that said at least one nearby device may include the layer:

create with the transceiver a connection to said at least one nearby device (page 21, whole page);

confirm whether said at least one nearby device includes the layer (page 24 lines 20end of page);

when said at least one nearby device includes the layer:

execute the layer to perform application and service discovery (page 24 lines 20-end of page);

Kammer does not show middleware. Beck discloses middleware (see the abstract, col 2 lines 45-55).

Since both Kammer and Beck teach ad hoc and Bluetooth application for device detection and service discovery, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify teachings Kammer, and have middleware, taught by Beck to improve the method and system for devices to discover and user services, as discussed by Beck (see col 1 lines 9-67, col 2 lines 1-45).

Consider claims 2, 20, 38, 46, (Original) The system of claims 1, 19, 37, 45 Kammer as modified by Beck, discloses wherein the middleware layer includes a service discovery protocol and at least one computer program, each computer program comprising at least one sequence of operational instructions (col 8 lines 57-67, col 9 lines 1-10).

Art Unit: 2617

Consider claims 3, 21, 39, 47 (Original) The system of claims 1, 19, 37, 45 Kammer as modified by Beck, discloses wherein when said at least one nearby device includes the middleware layer, the processor is further configured to:

execute the middleware layer to launch applications and services (col 2 lines 50-55).

Consider claims 5, 23 (Original) The system of claims 4, 22, Kammer as modified by Beck, further discloses wherein the inquiry request message is a Bluetooth inquiry command, and the inquiry response message is a Bluetooth inquiry result command (page 20, figure 1.6).

Consider claims 4, 22, 40, 48, (Original) The system of claims 1, 19, 37, 45 Kammer as modified by Beck, further discloses wherein to conduct the inquiry, the processor is further configured to:

send an inquiry request message to a coverage area within the mobile ad hoc communications network (see page 20 lines 7-end of page, page 24 lines 20-end of page, page 41 whole page, page 42 whole page); and

receive an inquiry response message from said at least one nearby device, the inquiry response message including the indication (see page 20 lines 7-end of page, page 24 lines 20-end of page, page 41 whole page, page 42 whole page);

Consider claims 11, 29, 41, 49 (Original) The system of claims 1, 19, 37, 45 Kammer as modified by Beck, further discloses wherein to create the connection, the processor is further configured to:

send a paging request message to a coverage area within the mobile ad hoc communications network directed to said at least one nearby device (page 21 lines 25-30); and receive a paging accept message from said at least one nearby device (page 21 lines 25-30);

Consider claims 12, 30, 42, 50 (Original) The system of claims 1, 19, 37, 45, Kammer as modified by Beck, further discloses wherein to confirm that said at least one nearby device includes the middleware layer, the processor is further configured to:

send a recognition request message to said at least one nearby device (page 24 lines 18-35); and

Art Unit: 2617

receive a recognition response message from said at least one nearby device (page 24 lines 18-35).

Consider claims 13, 31, (Original) The system of claims 12, 30 Kammer as modified by Beck, further discloses wherein receipt of the recognition response message confirms that said at least one nearby device includes the middleware layer (page 24 lines 18-35, page 41 whole page).

Consider claims 14, 32 (Original) The system of claims 12, 30 Kammer as modified by Beck, further discloses wherein the recognition response message includes a confirmation that said at least one nearby device includes the middleware layer (page 24 lines 18-35, page 41 whole page).

Consider claims 16, 34 (Original) The system of claims 12, 30, 37, Kammer as modified by Beck, further discloses wherein the recognition request message is a Bluetooth Service Discovery Protocol request and the recognition response message is a Bluetooth Service Discovery Protocol response (page 24 lines 18-35, page 41 whole page).

Consider claims 17, 35, 43, 51 (Original) The system of claims 1, 19, 37, 45, Kammer as modified by Beck, discloses wherein to execute the middleware layer to perform application and service discovery, the processor is further configured to:

receive a notification message from said at least one nearby device, the notification message including a local application directory stored in said at least one nearby device (col 2 lines 4-5, 57-63);

store an update to a combined application directory, the update based on a comparison of the local application directory and the combined application directory (col 7 lines 12-25, col 8 lines 25-27);

send an update message to said at least one nearby device, the update message including an update portion of the combined application directory for updating the local application directory stored in said at least one nearby device (col 6 lines 45-67, col 7 lines 12-25, col 8 lines 25-27).

Consider claims 18, 36, 44, 52 (Original) The system of claims 17, 35, 43, 51 Kammer as modified by Beck, discloses wherein the processor is further configured to:

Art Unit: 2617

launch a local application based on a reference in the combined application directory (col 6 lines 45-67); and

connect the local application to a counterpart application executing on said at least one nearby device (col 6 lines 45-67);

6. Claims 6-10, 15, 24-28 and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kammer et al. (ISBN: 1-928994-42-3, "Bluetooth Application Developer's Guide") in view of Beck et al. (6,604,140) and further in view of Howe (2005/0058149).

Consider claims 6, 24 (Original) The system of claims 5, 23 Kammer as modified by Beck, further discloses wherein setting the Bluetooth inquiry result command to at least one predetermined value is the indication (see page 20 lines 7-end of page, page 24 lines 20-end of page, page 41 whole page, page 42 whole page);

Kammer as modified by Beck does not show bit indication. Howe discloses bit indication (see sections [370]-[374]).

Since both Kammer, Beck and Howe teach ad hoc communication network, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify teachings Kammer, and Beck, and have bit indication, taught by Howe to improve the method and system for packet data transmission network, as discussed by Howe (see sections [5]-[35]).

Consider claim 7, 25 (Original) The system of claim 6, 24 Kammer as modified by Beck, and further in view of Howe discloses wherein said at least one bit includes at least one of the ad hoc networking aware bit, the location information bit, or the telephony capable bit (see sections [370]-[374]).

Consider claims 8, 26 (Original) The system of claims 5, 23 Kammer as modified by Beck, further discloses wherein setting in the Bluetooth inquiry result command to at least one predetermined value is the indication (see page 20 lines 7-end of page, page 24 lines 20-end of page, page 41 whole page, page 42 whole page).

Art Unit: 2617

Kammer as modified by Beck does not show bit indication. Howe discloses bit indication (see sections [370]-[374]).

Since both Kammer, Beck and Howe teach ad hoc communication network, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify teachings Kammer, and Beck, and have bit indication, taught by Howe to improve the method and system for packet data transmission network, as discussed by Howe (see sections [5]-[35]).

Consider claims 9, 27(Original) The system of claims 8, 26 Kammer as modified by Beck, and further in view of Howe discloses wherein said at least two bits includes at least two of the ad hoc networking aware bit, the location information bit, or the telephony capable bit (see sections [5]-[35]).

Consider claims 10, 28 (Original) The system of claims 8, 26 Kammer as modified by Beck, and further in view of Howe discloses wherein said at least two bits includes the ad hoc networking aware bit, and at least one of the location information bit, or the telephony capable bit (see sections [5]-[35]).

Consider claims 15, 33 (Original) The system of claims 14, 32, Kammer as modified by Beck, further discloses wherein setting in the recognition response message to at least one predetermined value is the confirmation (see page 20 lines 7-end of page, page 24 lines 20-end of page, page 41 whole page, page 42 whole page).

Kammer as modified by Beck does not show bit indication. Howe discloses bit indication (see sections [370]-[374]).

Since both Kammer, Beck and Howe teach ad hoc communication network, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify teachings Kammer, and Beck, and have bit indication, taught by Howe to improve the method and system for packet data transmission network, as discussed by Howe (see sections [5]-[35]).

Application/Control Number: 10/662,407 Page 12

Art Unit: 2617

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Huy C. Ho whose telephone number is (571) 270-1108. The examiner can normally be reached on Monday - Friday, 8:00 a.m. - 5:00 p.m., EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duc Nguyen can be reached on 571-272-7503. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DUC M. NGUYEN SUPERVISORY PRIMARY EXAMINER TECHNOLOGY CENTER 2600